WO 2004/099130 PCT/JP2004/005987

CLAIMS

1. A compound of the formula (I):

$$R^2$$
 N
 R^1
 R^3
 Y
 (I)

[wherein

5

10

15

20

R³ is (lower)alkoxy, hydroxy, amino, [(lower)alkyl]amino, or di[(lower)alkyl]amino;

X and Y are each CH or N] or pharmaceutically acceptable salts thereof.

- 2. A compound according to Claim 1, wherein

WO 2004/099130 PCT/JP2004/005987

X and Y are each CH, X is N and Y is CH, or X is CH and Y is N; or pharmaceutically acceptable salts thereof.

- A medicament comprising a compound of Claim 1 or 2 as an active
 ingredient.
 - 4. A pharmaceutical composition comprising a compound of Claim 1 or 2 as an active ingredient, in association with a pharmaceutically acceptable carrier or excipient.

10

15

20

25

30

- 5. Amethod for treatment and/or prevention of inflammatory conditions, various pains, collagen diseases, autoimmune diseases, various immunity diseases, thrombosis, cancer or neurodegerative diseases which comprises administering an effective amount of the compound of Claim 1 or 2 to human beings or animals.
- 6. The compound of Claim 1 or 2 for use in the treatment and/or prevention of inflammatory conditions, various pains, collagen diseases, autoimmune diseases, various immunity diseases, thrombosis, cancer or neurodegerative diseases in human beings or animals.
- 7. Use of the compound of Claim 1 or 2 for the manufacture of a medicament for treatment and/or prevention of inflammatory conditions, various pains, collagen diseases, autoimmune diseases, various immunity diseases, thrombosis, cancer or neurodegerative diseases in human beings or animals.
- 8. An analysesic agent comprising the compound of Claim 1 or 2, which is usable for treating and/or preventing pains caused by or associated with acute or chronic inflammations.
- 9. The analysesic agent of Claim 8, which is usable for treating or preventing pains caused by or associated with rheumatoid arthritis,

WO 2004/099130 PCT/JP2004/005987

osteoarthritis, lumbar rheumatism, rheumatoid spondylitis, gouty arthritis, juvenile arthritis; lumbago; cervico-omo-brachial syndrome; scapulohumeral periarthritis; pain and tumescence after operation or injury.

5

10

10. A commercial package comprising the pharmaceutical composition containing the compound (I) identified in Claim 1 or 2 and a written matter associated therewith, wherein the written matter states that the compound (I) can or should be used for preventing or treating inflammatory conditions, various pains, collagen diseases, autoimmune diseases, various immunity diseases, analgesic, thrombosis, cancer or neurodegerative diseases.